

Notice of Allowability

Application No.

09/632,388

Examiner

Julio J. Maldonado

Applicant(s)

LI ET AL.

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to response filed on July 25, 2003.
2. ☒ The allowed claim(s) is/are 1-4,6,7,9,10,20 and 22-28.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
(a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☒ CORRECTED DRAWINGS must be submitted.
(a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☒ hereto or 2) ☐ to Paper No. _____.
(b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☒ Notice of References Cited (PTO-892)
3 ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
5 ☐ Information Disclosure Statements (PTO-1449), Paper No. _____.
7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 2 ☐ Notice of Informal Patent Application (PTO-152)
4 ☐ Interview Summary (PTO-413), Paper No. _____.
6 ☐ Examiner's Amendment/Comment
8 ☒ Examiner's Statement of Reasons for Allowance
9 ☐ Other

DETAILED ACTION

1. The non-final rejection as set forth in paper mailed on 05/22/2003 is withdrawn in response to applicants' request for reconsideration.
2. Claims 1-4, 6, 7, 9, 10, 20 and 22-28 are pending in the application.

Allowable Subject Matter

3. Claims 1-4, 6, 7, 9, 10, 20 and 22-28 are allowed.
4. The following is an examiner's statement of reasons for allowance:

The prior art of record, Ngo et al. to 6,127,261 teach in Figs.1-3 and related text an interlayer dielectric layered structure including a substrate (102); a first dielectric layer (104) disposed over the substrate (102); a layer of undoped silicate glass (112) disposed on the dielectric layer (104); an unplanar layer of borophosphorous silicate glass (114) disposed on the layer of undoped silicate glass (112), said planar layer having an uppermost surface; and a planar dielectric layer (110) of plasma enhanced tetraethylorthosilicate glass disposed on the unplanar layer of borophosphorous silicate glass (114), said planar dielectric layer (110) having an uppermost surface substantially even with the uppermost surface of said unplanar layer of borophosphorous silicate glass (114), the borophosphorous silicate glass layer (114) and the planarized layer of plasma-enhanced tetraethyl orthosilicate layer (110) together forming a pre-metal dielectric layer (column 1, line 29 – column 5, line 15).

However, Ngo et al. teach a planarized PETEOS layer without exposing the BPSG layer, which is opposed to the claimed invention.

Art Unit: 2823


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

5. Papers related to this application may be submitted directly to Art Unit 2823 by facsimile transmission. Papers should be faxed to Art Unit 2823 via the Art Unit 2823 Fax Center located in Crystal Plaza 4, room 3C23. The faxing of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (15 November 1989). The Art Unit 2823 Fax Center number is **(703) 305-3432**. The Art Unit 2823 Fax Center is to be used only for papers related to Art Unit 2823 applications.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Julio J. Maldonado** at **(703) 306-0098** and between the hours of 8:00 AM to 4:00 PM (Eastern Standard Time) Monday through Friday or by e-mail via julio.maldonado@uspto.gov. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri, can be reached on (703) 306-2794.

Any inquiry of a general nature or relating to the status of this application should be directed to the **Group 2800 Receptionist** at **(703) 308-0956**.


JMR
9/20/03


George Fourson
Primary Examiner